

# Product datasheet

Specifications



standard motor mechanism  
module MT250, ComPact  
NSX250, 220/240 VAC 50/60 Hz,  
208/277 VAC 60 Hz

LV431541

## Main

Device Short Name	MT250
Product Or Component Type	Motor mechanism
Device Application	Automatic spring charging
Range Compatibility	ComPacT new generation ComPacT NSX250 new generation ComPacT new generation ComPacT NSX DC new generation NSX250 DC
Control Type	Standard
[Uc] Control Circuit Voltage	208...277 V AC 60 Hz 220...240 V AC 50/60 Hz
Circuit Breaker Mounting Mode	Fixed
Circuit Breaker Frame Rated Current	250 A

## Complementary

Control Signal Type	Maintained Impulse
Circuit Breaker Response Time	< 700 ms open < 80 ms closed
Maximum Operating Frequency	4 per minute
Maximum Power Consumption In Va	500 VA closing 500 VA opening
Provided Equipment	SDE adaptor
Locking Options Description	1 to 3 padlocks Ø 5 to Ø 8 Padlocking in OFF position

## Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	10.8 cm
Package 1 Width	12.4 cm
Package 1 Length	17.0 cm
Package 1 Weight	1.39 kg
Unit Type Of Package 2	S04
Number Of Units In Package 2	15
Package 2 Height	30.0 cm
Package 2 Width	40.0 cm

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

---

Package 2 Length	60.0 cm
------------------	---------

---

Package 2 Weight	21.616 kg
------------------	-----------

## Contractual warranty

---

Warranty	18 months
----------	-----------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

## Well-being performance

Mercury Free

Rohs Exemption Information Yes

## Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

China Rohs Regulation [China RoHS declaration](#)  
Product out of China RoHS scope. Substance declaration for your information

Environmental Disclosure [Product Environmental Profile](#)

Weee The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile [End of Life Information](#)